

FOR TEACHERS ONLY

The University of the State of New York
REGENTS HIGH SCHOOL EXAMINATION

ALGEBRA I (Common Core)

Tuesday, June 3, 2014 — 9:15 a.m. to 12:15 p.m., only

SCORING KEY AND RATING GUIDE

Mechanics of Rating

The following procedures are to be followed for scoring student answer papers for the Regents Examination in Algebra I (Common Core). More detailed information about scoring is provided in the publication *Information Booklet for Scoring The Regents Examination in Algebra I (Common Core)*.

Do *not* attempt to correct the student's work by making insertions or changes of any kind. In scoring the constructed-response questions, use check marks to indicate student errors. Unless otherwise specified, mathematically correct variations in the answers will be allowed. Units need not be given when the wording of the questions allows such omissions.

Each student's answer paper is to be scored by a minimum of three mathematics teachers. No one teacher is to score more than approximately one-third of the constructed-response questions on a student's paper. Teachers may not score their own students' answer papers. On the student's separate answer sheet, for each question, record the number of credits earned and the teacher's assigned rater/scorer letter.

Schools are not permitted to rescore any of the open-ended questions on this exam after each question has been rated once, regardless of the final exam score. Schools are required to ensure that the raw scores have been added correctly and that the resulting scale score has been determined accurately.

Raters should record the student's scores for all questions and the total raw score on the student's separate answer sheet. Then the student's total raw score should be converted to a scale score by using the conversion chart that will be posted on the Department's web site at: <http://www.p12.nysed.gov/assessment/> by Thursday, June 26, 2014. Because scale scores corresponding to raw scores in the conversion chart may change from one administration to another, it is crucial that, for each administration, the conversion chart provided for that administration be used to determine the student's final score. The student's scale score should be entered in the box provided on the student's separate answer sheet. The scale score is the student's final examination score.

If the student's responses for the multiple-choice questions are being hand scored prior to being scanned, the scorer must be careful not to make any marks on the answer sheet except to record the scores in the designated score boxes. Marks elsewhere on the answer sheet will interfere with the accuracy of the scanning.

Part I

Allow a total of 48 credits, 2 credits for each of the following.

(1) 1	(9) 3	(17) 4
(2) 4	(10) 2	(18) 1
(3) 2	(11) 3	(19) 3
(4) 2	(12) 3	(20) 1
(5) 1	(13) 3	(21) 4
(6) 4	(14) 2	(22) 4
(7) 3	(15) 3	(23) 1
(8) 2	(16) 2	(24) 2

Updated information regarding the rating of this examination may be posted on the New York State Education Department's web site during the rating period. Check this web site at: <http://www.p12.nysed.gov/assessment/> and select the link "Scoring Information" for any recently posted information regarding this examination. This site should be checked before the rating process for this examination begins and several times throughout the Regents Examination period.

For June 2014, the Department is providing supplemental scoring guidance, the "Model Response Set," for the Regents Examination in Algebra I (Common Core). This guidance is recommended to be part of the scorer training. Schools are encouraged to incorporate the Model Response Sets into the scorer training or to use them as additional information during scoring. While not reflective of all scenarios, the model responses selected for the Model Response Set illustrate how less common student responses to constructed-response questions may be scored. The Model Response Set will be available on the Department's web site at <http://www.nysedregents.org/algebraone/>.

General Rules for Applying Mathematics Rubrics

I. General Principles for Rating

The rubrics for the constructed-response questions on the Regents Examination in Algebra I (Common Core) are designed to provide a systematic, consistent method for awarding credit. The rubrics are not to be considered all-inclusive; it is impossible to anticipate all the different methods that students might use to solve a given problem. Each response must be rated carefully using the teacher's professional judgment and knowledge of mathematics; all calculations must be checked. The specific rubrics for each question must be applied consistently to all responses. In cases that are not specifically addressed in the rubrics, raters must follow the general rating guidelines in the publication *Information Booklet for Scoring the Regents Examination in Algebra I (Common Core)*, use their own professional judgment, confer with other mathematics teachers, and/or contact the State Education Department for guidance. During each Regents Examination administration period, rating questions may be referred directly to the Education Department. The contact numbers are sent to all schools before each administration period.

II. Full-Credit Responses

A full-credit response provides a complete and correct answer to all parts of the question. Sufficient work is shown to enable the rater to determine how the student arrived at the correct answer.

When the rubric for the full-credit response includes one or more examples of an acceptable method for solving the question (usually introduced by the phrase “such as”), it does not mean that there are no additional acceptable methods of arriving at the correct answer. Unless otherwise specified, mathematically correct alternative solutions should be awarded credit. The only exceptions are those questions that specify the type of solution that must be used; e.g., an algebraic solution or a graphic solution. A correct solution using a method other than the one specified is awarded half the credit of a correct solution using the specified method.

III. Appropriate Work

Full-Credit Responses: The directions in the examination booklet for all the constructed-response questions state: “Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, graphs, charts, etc.” The student has the responsibility of providing the correct answer **and** showing how that answer was obtained. The student must “construct” the response; the teacher should not have to search through a group of seemingly random calculations scribbled on the student paper to ascertain what method the student may have used.

Responses With Errors: Rubrics that state “Appropriate work is shown, but...” are intended to be used with solutions that show an essentially complete response to the question but contain certain types of errors, whether computational, rounding, graphing, or conceptual. If the response is incomplete; i.e., an equation is written but not solved or an equation is solved but not all of the parts of the question are answered, appropriate work has **not** been shown. Other rubrics address incomplete responses.

IV. Multiple Errors

Computational Errors, Graphing Errors, and Rounding Errors: Each of these types of errors results in a 1-credit deduction. Any combination of two of these types of errors results in a 2-credit deduction. No more than 2 credits should be deducted for such mechanical errors in a 4-credit question and no more than 3 credits should be deducted in 6-credit question. The teacher must carefully review the student's work to determine what errors were made and what type of errors they were.

Conceptual Errors: A conceptual error involves a more serious lack of knowledge or procedure. Examples of conceptual errors include using the incorrect formula for the area of a figure, choosing the incorrect trigonometric function, or multiplying the exponents instead of adding them when multiplying terms with exponents.

If a response shows repeated occurrences of the same conceptual error, the student should not be penalized twice. If the same conceptual error is repeated in responses to other questions, credit should be deducted in each response.

For 4- and 6-credit questions, if a response shows one conceptual error and one computational, graphing, or rounding error, the teacher must award credit that takes into account both errors. Refer to the rubric for specific scoring guidelines.

Part II

For each question, use the specific criteria to award a maximum of 2 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(25) [2] A correct graph is drawn.

[1] Appropriate work is shown, but one computational or graphing error is made.

or

[1] Appropriate work is shown, but one conceptual error is made, such as showing points where $x < 0$.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(26) [2] Correct explanations are made, such as 0.5 is the rate of decay and 300 is the initial amount.

[1] One conceptual error is made.

or

[1] A correct explanation is made for 0.5 or 300.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(27) [2] 2, and correct work is shown.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Appropriate work is shown to find $-a > -3$, but no further correct work is shown.

or

[1] 2, but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (28) [2] $(4, -1)$, and a correct explanation is given.
- [1] One computational error is made.
- or*
- [1] One conceptual error is made.
- or*
- [1] $(4, -1)$, but no explanation or an incorrect explanation is given.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (29) [2] A correct graph is drawn, no, and a correct explanation that is based on the graph is given.
- [1] Appropriate work is shown, but one computational or graphing error is made.
- or*
- [1] Appropriate work is shown, but one conceptual error is made.
- or*
- [1] A correct graph is drawn, but no further correct work is shown.
- [0] No, but no work is shown.
- or*
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (30) [2] Yes, and a correct justification is given.
- [1] One conceptual error is made.
- or*
- [1] Yes, but an incomplete or incorrect justification is given.
- [0] Yes, but no justification is given.
- or*
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(31) [2] $(x^2 + 7)(x + 1)(x - 1)$ and correct work is shown.

[1] Appropriate work is shown, but one factoring error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] $(x^2 + 7)(x^2 - 1)$ is written, but no further correct work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

(32) [2] A correct box plot with $\text{Min} = 1$, $Q_1 = 2$, $Q_2 = 3$, $Q_3 = 4$, $\text{Max} = 5$ is drawn.

[1] Appropriate work is shown, but one computational or graphing error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] An appropriate box plot is drawn that is based on an incomplete or incorrect set of data.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

Part III

For each question, use the specific criteria to award a maximum of 4 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(33) [4] $m(x) = x^2 + 10x + 16$ or an equivalent trinomial equation and -8 and -2 , and correct work is shown.

[3] Appropriate work is shown, but one computational, factoring or simplification error is made.

or

[3] The expression $x^2 + 10x + 16$ is written, and appropriate work is shown to find -8 and -2 .

[2] Appropriate work is shown, but two or more computational, factoring or simplification errors are made.

or

[2] Appropriate work is shown, but one conceptual error is made.

or

[2] Appropriate work is shown to find $m(x) = x^2 + 10x + 16$, but no further correct work is shown.

or

[2] An incorrect trinomial expression is written, but appropriate solutions are found.

[1] Appropriate work is shown, but one conceptual error and one computational, factoring, or simplification error are made.

or

[1] The expression $x^2 + 10x + 16$ is written, but no further correct work is shown.

or

[1] $m(x) = x^2 + 10x + 16$ and -8 and -2 , but no work is shown.

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (34) [4] $(12 + 2x)(16 + 2x) = 396$ or an equivalent equation, a correct description is given, and correct work is shown to find 3.
- [3] Appropriate work is shown, but one computational or factoring error is made.
- or*
- [3] Appropriate work is shown, but -17 is not rejected.
- or*
- [3] $(16 + 2x)(12 + 2x) = 396$ and appropriate work is shown to find 3, but no description or an incorrect description is given.
- [2] Appropriate work is shown, but two or more computational or factoring errors are made.
- or*
- [2] Appropriate work is shown, but one conceptual error is made.
- or*
- [2] $(16 + 2x)(12 + 2x) = 396$ and a correct description is given, but no further correct work is shown.
- [1] Appropriate work is shown, but one conceptual error and one computational or factoring error are made.
- or*
- [1] $(16 + 2x)(12 + 2x) = 396$ is written, but no further correct work is shown.
- or*
- [1] 3, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (35) [4] $A(n) = 175 - 2.75n$, correct work is shown to find 63, and a correct explanation is given.
- [3] Appropriate work is shown, but one computational or rounding error is made.
- or***
- [3] The expression $175 - 2.75n$ is written, appropriate work is shown to find 63, and a correct explanation is given.
- or***
- [3] $A(n) = 175 - 2.75n$ and appropriate work is shown to find 63, but no explanation or incorrect explanation is given.
- [2] Appropriate work is shown, but two or more computational or rounding errors are made.
- or***
- [2] Appropriate work is shown, but one conceptual error is made.
- or***
- [2] $A(n) = 175 - 2.75n$, but no further correct work is shown.
- or***
- [2] The expression $175 - 2.75n$ is written and appropriate work is shown to find 63, but no explanation or incorrect explanation is given.
- or***
- [2] Appropriate work is shown to find 63 and a correct explanation is given, but no further correct work is shown.
- [1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.
- or***
- [1] 63, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

- (36) [4] $2.35c + 5.50d = 89.50$ or an equivalent equation, no, and a correct justification is written, and correct work is shown to find 10.
- [3] Appropriate work is shown, but one computational error is made.
- or***
- [3] $2.35c + 5.50d = 89.50$ and appropriate work is shown to find 10, but no further correct work is shown.
- [2] Appropriate work is shown, but two or more computational errors are made.
- or***
- [2] Appropriate work is shown, but one conceptual error is made.
- or***
- [2] $2.35c + 5.50d = 89.50$, no, and a correct justification is written, but no further correct work is shown.
- or***
- [2] 10 and appropriate work is shown.
- [1] Appropriate work is shown, but one conceptual error and one computational error are made.
- or***
- [1] $2.35c + 5.50d = 89.50$ is written, but no further correct work is shown.
- or***
- [1] 10, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
-

Part IV

For each question, use the specific criteria to award a maximum of 6 credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

(37) [6] Both functions are graphed and labeled correctly, 3, and a correct explanation is given, and site A and a correct justification is given.

[5] Appropriate work is shown, but one computational, graphing, labeling or factoring error is made.

or

[5] Appropriate work is shown, but one justification is missing or is incorrect.

[4] Appropriate work is shown, but two computational, graphing, labeling or factoring errors are made.

or

[4] Appropriate work is shown, but one conceptual error is made.

or

[4] Both functions are graphed and labeled correctly, site A and a correct justification is given, but no further correct work is shown.

or

[4] Both functions are graphed and labeled correctly, 3, and a correct explanation is given, but no further correct work is shown.

[3] Appropriate work is shown, but three or more computational, graphing, labeling or factoring errors are made.

or

[3] Appropriate work is shown, but one conceptual error and one computational, graphing, labeling, or factoring error are made.

or

[3] Both functions are graphed and labeled correctly, and either 3 or site A is stated, but no further correct work is shown.

[2] Appropriate work is shown, but one conceptual error and two or more computational, graphing, labeling or factoring errors are made.

or

[2] Appropriate work is shown, but two conceptual errors are made.

or

[2] Both functions are graphed and labeled correctly, but no further correct work is shown.

or

[2] Site A and a correct justification is given, but no further correct work is shown.

or

[2] 3 and an appropriate explanation is given, but no further correct work is shown.

[1] Appropriate work is shown, but two conceptual errors and one computational, graphing, labeling or factoring error are made.

or

[1] One function is graphed and labeled correctly, but no further correct work is shown.

or

[1] Both functions are graphed correctly, but are not labeled or are labeled incorrectly. No further correct work is shown.

or

[1] 3, but no work is shown.

[0] Site A, but no work is shown.

or

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

**Map to the Common Core Learning Standards
Algebra I (Common Core)
June 2014**

Question	Type	Credits	Cluster
1	Multiple Choice	2	A-REI.A
2	Multiple Choice	2	F-IF.B
3	Multiple Choice	2	A-APR.A
4	Multiple Choice	2	A-REI.D
5	Multiple Choice	2	A-REI.B
6	Multiple Choice	2	F-LE.A
7	Multiple Choice	2	F-LE.B
8	Multiple Choice	2	A-REI.B
9	Multiple Choice	2	F-IF.B
10	Multiple Choice	2	A-REI.B
11	Multiple Choice	2	S-ID.C
12	Multiple Choice	2	A-SSE.B
13	Multiple Choice	2	N-RN.B
14	Multiple Choice	2	A-REI.C
15	Multiple Choice	2	F-LE.A
16	Multiple Choice	2	A-CED.A
17	Multiple Choice	2	F-IF.A
18	Multiple Choice	2	F-IF.B

19	Multiple Choice	2	S-ID.A
20	Multiple Choice	2	F-IF.A
21	Multiple Choice	2	F-IF.A
22	Multiple Choice	2	A-CED.A
23	Multiple Choice	2	A-CED.A
24	Multiple Choice	2	F-LE.A
25	Constructed Response	2	F-IF.C
26	Constructed Response	2	F-LE.B
27	Constructed Response	2	A-REI.B
28	Constructed Response	2	F-BF.B
29	Constructed Response	2	A-REI.D
30	Constructed Response	2	F-IF.A
31	Constructed Response	2	A-SSE.A
32	Constructed Response	2	S-ID.A
33	Constructed Response	4	A-REI.B
34	Constructed Response	4	A-CED.A
35	Constructed Response	4	F-BF.A
36	Constructed Response	4	A-CED.A
37	Constructed Response	6	A-REI.D

Regents Examination in Algebra I (Common Core)

June 2014

Chart for Converting Total Test Raw Scores to Final Examination Scores (Scale Scores)

The *Chart for Determining the Final Examination Score for the June 2014 Regents Examination in Algebra I (Common Core)* will be posted on the Department's web site at: <http://www.p12.nysed.gov/assessment/> by Thursday, June 26, 2014.

Online Submission of Teacher Evaluations of the Test to the Department

Suggestions and feedback from teachers provide an important contribution to the test development process. The Department provides an online evaluation form for State assessments. It contains spaces for teachers to respond to several specific questions and to make suggestions. Instructions for completing the evaluation form are as follows:

1. Go to <http://www.forms2.nysed.gov/emsc/osa/exameval/reexameval.cfm>.
2. Select the test title.
3. Complete the required demographic fields.
4. Complete each evaluation question and provide comments in the space provided.
5. Click the SUBMIT button at the bottom of the page to submit the completed form.

