FOR TEACHERS ONLY

The University of the State of New York

REGENTS HIGH SCHOOL EXAMINATION

MATHEMATICS A

Tuesday, August 16, 2005 — 8:30 to 11:30 a.m., only

SCORING KEY

Mechanics of Rating

The following procedures are to be followed for scoring student answer papers for the Mathematics A examination. More detailed information about scoring is provided in the publication *Information Booklet for Scoring the Regents Examinations in Mathematics A and Mathematics B*.

Use only *red* ink or *red* pencil in rating Regents papers. Do *not* attempt to correct the student's work by making insertions or changes of any kind. Use checkmarks to indicate student errors.

Unless otherwise specified, mathematically correct variations in the answers will be allowed. Units need not be given when the wording of the questions allows such omissions.

Each student's answer paper is to be scored by a minimum of three mathematics teachers. On the back of the student's detachable answer sheet, raters must enter their initials in the boxes next to the questions they have scored and also write their name in the box under the heading "Rater's/Scorer's Name."

Raters should record the student's scores for all questions and the total raw score on the student's detachable answer sheet. Then the student's total raw score should be converted to a scaled score by using the conversion chart that will be posted on the Department's web site http://www.emsc.nysed.gov/osa/ on Tuesday, August 16, 2005. The student's scaled score should be entered in the box provided on the student's detachable answer sheet. The scaled score is the student's final examination score.

Part I

Allow a total of 60 credits, 2 credits for each of the following. Allow credit if the student has written the correct answer instead of the numeral 1, 2, 3, or 4.

(1) 3	(6) 4	(11) 4	(16) 4	(21) 3	(26) 2
(2) 2	(7) 1	(12) 3	(17) 4	(22) 2	(27) 3
(3) 1	(8) 2	(13) 4	(18) 2	(23) 4	(28) 3
(4) 3	(9) 1	(14) 2	(19) 1	(24) 2	(29) 1
(5) 4	(10) 1	(15) 2	(20) 1	(25) 3	(30) 4

Updated information regarding the rating of this examination may be posted on the New York State Education Department's web site during the rating period. Visit the site http://www.emsc.nysed.gov/osa/ and select the link "Latest Information" for any recently posted information regarding this examination. This site should be checked before the rating process for this examination begins and at least one more time before the final scores for the examination are recorded.

General Rules for Applying Mathematics Rubrics

I. General Principles for Rating

The rubrics for the constructed-response questions on the Regents Examinations in Mathematics A and Mathematics B are designed to provide a systematic, consistent method for awarding credit. The rubrics are not to be considered all-inclusive; it is impossible to anticipate all the different methods that students might use to solve a given problem. Each response must be rated carefully using the teacher's professional judgment and knowledge of mathematics; all calculations must be checked. The specific rubrics for each question must be applied consistently to all responses. In cases that are not specifically addressed in the rubrics, raters must follow the general rating guidelines in the publication *Information Booklet for Scoring the Regents Examinations in Mathematics A and Mathematics B*, use their own professional judgment, confer with other mathematics teachers, and/or contact the consultants at the State Education Department for guidance. During each Regents examination administration period, rating questions may be referred directly to the Education Department. The contact numbers are sent to all schools before each administration period.

II. Full-Credit Responses

A full-credit response provides a complete and correct answer to all parts of the question. Sufficient work is shown to enable the rater to determine how the student arrived at the correct answer.

When the rubric for the full-credit response includes one or more examples of an acceptable method for solving the question (usually introduced by the phrase "such as"), it does **not** mean that there are no additional acceptable methods of arriving at the correct answer. Unless otherwise specified, mathematically correct alternative solutions should be awarded credit. The only exceptions are those questions that specify the type of solution that must be used; e.g., an algebraic solution or a graphic solution. A correct solution using a method other than the one specified is awarded half the credit of a correct solution using the specified method.

III. Appropriate Work

Full-Credit Responses: The directions in the examination booklet for all the constructed-response questions state: "Clearly indicate the necessary steps, including appropriate formula substitutions, diagrams, charts, etc." The student has the responsibility of providing the correct answer and showing how that answer was obtained. The student must "construct" the response; the teacher should not have to search through a group of seemingly random calculations scribbled on the student paper to ascertain what method the student may have used.

Responses With Errors: Rubrics that state "Appropriate work is shown, but ..." are intended to be used with solutions that show an essentially complete response to the question but contain certain types of errors, whether computational, rounding, graphing, or conceptual. If the response is incomplete, i.e., an equation is written but not solved or an equation is solved but not all of the parts of the question are answered, appropriate work has **not** been shown. Other rubrics address incomplete responses.

IV. Multiple Errors

Computational Errors, Graphing Errors, and Rounding Errors: Each of these types of errors results in a 1-credit deduction. Any combination of two of these types of errors results in a 2-credit deduction. No more than 2 credits should be deducted for such mechanical errors in any response. The teacher must carefully review the student's work to determine what errors were made and what type of errors they were.

Conceptual Errors: A conceptual error involves a more serious lack of knowledge or procedure. Examples of conceptual errors include using the incorrect formula for the area of a figure, choosing the incorrect trigonometric function, or multiplying the exponents instead of adding them when multiplying terms with exponents. A response with one conceptual error can receive no more than half credit.

If a response shows repeated occurrences of the same conceptual error, the student should not be penalized twice. If the same conceptual error is repeated in responses to other questions, credit should be deducted in each response.

If a response shows two (or more) different major conceptual errors, it should be considered completely incorrect and receive no credit.

If a response shows one conceptual error and one computational, graphing, or rounding error, the teacher must award credit that takes into account both errors: i.e., awarding half credit for the conceptual error and deducting 1 credit for each mechanical error (maximum of two deductions for mechanical errors).

Part II

For each question, use the specific criteria to award a maximum of two credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (31) [2] 16, and appropriate work is shown, such as the Pythagorean theorem, the Pythagorean triple, or trigonometry.
 - [1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made, such as using an incorrect trigonometric function.

or

- [1] 16, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (32) [2] 4, and appropriate work is shown, such as a Venn diagram.
 - [1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

- [1] 4, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

[3] [OVER]

Mathematics A – continued

- (33) [2] 5(n+4)(n-4), and appropriate work is shown.
 - [1] Appropriate work is shown, but one factoring error is made or the expression is not simplified completely.
 - [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.
- (34) [2] 600, and appropriate work is shown, such as $\frac{240}{360} \cdot 900 = 600$.
 - [1] Appropriate work is shown, but one computational error is made or the answer is expressed as a fraction.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] The central angle of 240° is found, but the number of students is not calculated.

OΥ

[1] An incorrect equation of equal difficulty is solved appropriately.

or

[1] A correct equation is written, but no further correct work is shown.

or

- [1] 600, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

Mathematics A – continued

(35) [2] 1,225, and appropriate work is shown, such as solving an equation or writing an explanation.

[1] Appropriate work is shown, but one computational error is made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] Appropriate work is shown, but the conversion from years to months is incorrect, but an appropriate solution is found.

or

- [1] 1,225, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

[5] [OVER]

Part III

For each question, use the specific criteria to award a maximum of three credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (36) [3] 45, and appropriate work is shown, such as $\tan 66^\circ = \frac{x}{20}$.
 - [2] A correct trigonometric ratio is used, and values are substituted correctly, but one computational or rounding error is made, or the calculator is left in radian mode.
 - [1] Appropriate work is shown, but two or more computational or rounding errors are made.

or

[1] Appropriate work is shown, but one conceptual error is made, such as using an incorrect trigonometric ratio.

OI

[1] An incorrect diagram is drawn, but an appropriate solution is found.

OΥ

[1] A correctly labeled diagram is drawn, but no further correct work is shown.

or

[1] A correct trigonometric ratio is written, but no further correct work is shown.

OY

- [1] 45, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

		т.	I .

[3] 18, and appropriate work is shown.

[2] Appropriate work is shown, but one computational error is made.

OI

- [2] Appropriate work is shown, and the value of *x* is found, but no further correct work is shown.
- [1] Appropriate work is shown, but two or more computational errors are made.

or

[1] Appropriate work is shown, but one conceptual error is made.

or

[1] A correct expression is written for the perimeter of each figure, but no further correct work is shown.

or

[1] 18, but no work is shown.

(37)

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

[7] [OVER]

Part IV

For each question, use the specific criteria to award a maximum of four credits. Unless otherwise specified, mathematically correct alternative solutions should be awarded appropriate credit.

- (38) [4] (-1,-2) and (2,13), and appropriate work is shown, such as an algebraic or graphic solution or trial and error with at least three trials and appropriate checks.
 - [3] Appropriate work is shown, but one computational or graphing error is made.

01

- [3] Appropriate work is shown, but only one solution is found or only the x- or the y-values are found.
- [2] Appropriate work is shown, but two or more computational or graphing errors are made.

or

[2] Appropriate work is shown, but one conceptual error is made.

or

[2] The trial-and-error method is used to find the correct solutions, but only two trials and appropriate checks are shown.

01

[2] The trial-and-error method is attempted and at least six systematic trials and appropriate checks are shown, but no solution is found.

O1

[2] Both equations are graphed correctly, but neither ordered pair is identified.

01

[2] Only one equation is graphed correctly, but an appropriate solution is found.

OI

- [2] An incorrect quadratic equation of equal difficulty is solved appropriately, and appropriate solutions are found.
- [1] Appropriate work is shown, but one conceptual error and one computational or graphing error are made.

or

[1] One equation is graphed correctly, but no further correct work is shown.

01

[1] An incorrect equation of a lesser degree of difficulty, such as a linear equation, is solved appropriately.

or

Mathematics A – continued

[1] A correct substitution is made and the system of equations is simplified to a single quadratic equation set equal to zero, but no further correct work is shown.

or

- [1] (-1,-2) and (2,13), but no work or only one trial with an appropriate check is shown.
- [0] (-1,-2) or (2,13), but no work or only one trial with an appropriate check is shown.

or

[0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

[9] [OVER]

(39)	[4]	9,	and	appropriate	work is	shown.
------	-----	----	-----	-------------	---------	--------

[3] Appropriate work is shown, but one computational or rounding error is made.

OI

- [3] Appropriate work is shown, and the areas of the rectangle and one circle are found correctly, but the area of the circle is not doubled, but an appropriate number of bags is found.
- [2] Appropriate work is shown, but two or more computational or rounding errors are made.

or

[2] Appropriate work is shown, but one conceptual error is made, such as using an incorrect formula for the area of a circle, but an appropriate number of bags is found.

or

- [2] The areas of the rectangle and the circle are found correctly, but no further correct work is shown.
- [1] Appropriate work is shown, but one conceptual error and one computational or rounding error are made.

or

- [1] 9, but no work is shown.
- [0] A zero response is completely incorrect, irrelevant, or incoherent or is a correct response that was obtained by an obviously incorrect procedure.

Map to Learning Standards

Key Ideas	Item Numbers
Mathematical Reasoning	5, 21, 32
Number and Numeration	4, 14, 16, 23
Operations	6, 8, 11, 19, 22, 24, 26, 33
Modeling/Multiple Representation	7, 9, 10, 12, 13, 17, 20, 30
Measurement	1, 15, 18, 31, 34, 36, 39
Uncertainty	2, 3, 27
Patterns/Functions	25, 28, 29, 35, 37, 38

Regents Examination in Mathematics A August 2005

Chart for Converting Total Test Raw Scores to Final Examination Scores (Scaled Scores)

The Chart for Determining the Final Examination Score for the August 2005 Regents Examination in Mathematics A will be posted on the Department's web site http://www.emsc.nysed.gov/osa/ on Tuesday, August 16, 2005. Conversion charts provided for previous administrations of the Mathematics A examination must NOT be used to determine students' final scores for this administration.