

New York State Testing Program

2024 Mathematics Test

Grade 6

Scoring Leader Materials

Training Set


Grade 6 Mathematics Reference Sheet

CONVERSIONS

1 yard = 3 feet 1 mile = 5,280 feet 1 cup = 8 fluid ounces 1 pint = 2 cups 1 quart = 2 pints 1 gallon = 4 quarts 1 liter = 1,000 milliliters 1 pound = 16 ounces 1 ton = 2,000 pounds 1 kilogram = 1,000 grams


FORMULAS AND FIGURES

Triangle




$$A = \frac{1}{2}bh$$


Right Rectangular Prism



Right Triangular Prism



Right Rectangular Pyramid



1-Credit Constructed-Response Rubric

1 Credit	A 1-credit response is a correct answer to the question which indicates a thorough understanding of mathematical concepts and/or procedures.
0 Credits*	A 0-credit response is incorrect, irrelevant, or incoherent.

^{*} Condition Code A is applied whenever a student who is present for a test session leaves an entire constructed-response question in that session completely blank (no response attempted).

2-Credit Constructed-Response Holistic Rubric

2 Credits	A 2-credit response includes the correct solution to the question and demonstrates a thorough understanding of the mathematical concepts and/or procedures in the task. This response • indicates that the student has completed the task correctly, using mathematically sound procedures • contains sufficient work to demonstrate a thorough understanding of the mathematical concepts and/or procedures • may contain inconsequential errors that do not detract from the correct solution and the demonstration of a thorough understanding		
1 Credit	A 1-credit response demonstrates only a partial understanding of the mathematical concepts and/or procedures in the task. This response correctly addresses only some elements of the task may contain an incorrect solution but applies a mathematically appropriate process may contain the correct solution but required work is incomplete		
0 Credits*	A 0-credit response is incorrect, irrelevant, incoherent, or contains a correct solution obtained using an obviously incorrect procedure. Although some elements may contain correct mathematical procedures, holistically they are not sufficient to demonstrate even a limited understanding of the mathematical concepts embodied in the task.		

^{*} Condition Code A is applied whenever a student who is present for a test session leaves an entire constructed-response question in that session completely blank (no response attempted).

3-Credit Constructed-Response Holistic Rubric

3 Credits	A 3-credit response includes the correct solution(s) to the question and demonstrates a thorough understanding of the mathematical concepts and/or procedures in the task. This response • indicates that the student has completed the task correctly, using mathematically sound procedures • contains sufficient work to demonstrate a thorough understanding of the mathematical concepts and/or procedures • may contain inconsequential errors that do not detract from the correct solution(s) and the demonstration of a thorough understanding
2 Credits	A 2-credit response demonstrates a partial understanding of the mathematical concepts and/or procedures in the task. This response • appropriately addresses most but not all aspects of the task using mathematically sound procedures • may contain an incorrect solution but provides sound procedures, reasoning, and/or explanations • may reflect some minor misunderstanding of the underlying mathematical concepts and/or procedures
1 Credit	A 1-credit response demonstrates only a limited understanding of the mathematical concepts and/or procedures in the task. This response • may address some elements of the task correctly but reaches an inadequate solution and/or provides reasoning that is faulty or incomplete • exhibits multiple flaws related to misunderstanding of important aspects of the task, misuse of mathematical procedures, or faulty mathematical reasoning • reflects a lack of essential understanding of the underlying mathematical concepts • may contain the correct solution(s) but required work is limited
0 Credits*	A 0-credit response is incorrect, irrelevant, incoherent, or contains a correct solution obtained using an obviously incorrect procedure. Although some elements may contain correct mathematical procedures, holistically they are not sufficient to demonstrate even a limited understanding of the mathematical concepts embodied in the task.

^{*} Condition Code A is applied whenever a student who is present for a test session leaves an entire constructed-response question in that session completely blank (no response attempted).


1-Credit Constructed-Response Mathematics Scoring Policies (2024)

- The student is not required to show work for a 1-credit constructed-response question, therefore, any
 work shown will not be scored. A clearly identified correct response should still receive full credit.
- If the student clearly identifies a correct answer but fails to write that answer in the answer space, the student should still receive full credit.
- If the student provides one legible response (and one response only), the rater should score the response, even if it has been crossed out.
- If the student has written more than one response but has crossed some out, the rater should score only the response that has not been crossed out.
- 5. If the student provides more than one response but does not indicate which response is to be considered the correct response and none have been crossed out, the student shall not receive credit.
- If the student does not provide the answer in the form as directed in the question, the student will not receive credit.
- 7. In questions requiring number sentences, the number sentences must be written horizontally.
- 8. When measuring angles with a protractor, there is a +/- 5 degrees deviation allowed of the true measure.
- 9. Condition Code A is applied whenever a student who is present for a test session leaves an entire constructed-response question in that session completely blank (no response attempted). This is not to be confused with a score of zero wherein the student does respond to part or all of the question, but that work results in a score of zero.

2- and 3-Credit Constructed-Response Mathematics Scoring Policies (2024)

- If a student shows the work in other than a designated "Show your work" or "Explain" area, that work should still be scored.
- If the question requires students to show their work, and the student shows appropriate work and clearly identifies a correct answer but fails to write that answer in the answer space, the student should still receive full credit.
- 3. If students are directed to show work or provide an explanation, a correct answer with **no** work shown or **no** explanation provided, receives **no** credit.
- 4. If students are not directed to show work, any work shown will not be scored. This applies to questions that do not ask for any work and questions that ask for work for one part and do not ask for work in another part.
- If the student provides one legible response (and one response only), the rater should score the response, even if it has been crossed out.
- If the student has written more than one response but has crossed some out, the rater should score only the response that has not been crossed out.
- If the student provides more than one response, but does not indicate which response is to be considered
 the correct response and none have been crossed out, the student shall not receive full credit.
- Trial-and-error responses are not subject to Scoring Policy #6 above, since crossing out is part of the trial-and-error process.
- If a response shows repeated occurrences of the same conceptual error within a question, the conceptual error should not be considered more than once in gauging the demonstrated level of understanding.
- In questions requiring number sentences, the number sentences must be written horizontally.
- 11. When measuring angles with a protractor, there is a +/- 5 degrees deviation allowed of the true measure.
- 12. Condition Code A is applied whenever a student who is present for a test session leaves an entire constructed-response question in that session completely blank (no response attempted). This is not to be confused with a score of zero wherein the student does respond to part or all of the question but that work results in a score of zero.

The four vertices of a parallelogram are plotted on the coordinate plane shown below.




What is the distance, in units, between vertices A and D?

Answer ____ units

EXEMPLARY RESPONSE

37

The four vertices of a parallelogram are plotted on the coordinate plane shown below.




What is the distance, in units, between vertices A and D?

Answer 10 units

37

The four vertices of a parallelogram are plotted on the coordinate plane shown below.



What is the distance, in units, between vertices A and D?

A ------

10


units

Score Credit 1 (out of 1 credit)

A correct answer is provided.

37

The four vertices of a parallelogram are plotted on the coordinate plane shown below.



What is the distance, in units, between vertices A and D?

1-61 4
6+4=10
The distance between realies Hand 0 is 10
units

Answer


units

Score Credit 1 (out of 1 credit)

A correct answer is provided.

37

The four vertices of a parallelogram are plotted on the coordinate plane shown below.



What is the distance, in units, between vertices A and D? [1]

Answer _____ units

Score Credit 0 (out of 1 credit)

An incorrect answer is provided.

38	What value of n makes the equation $\frac{n}{8} = 17$ true?
	Answer

EXEMPLARY RESPONSE

EXEMPLART RESPONSE					
38 W	Vhat value o	f n makes the ed	quation $\frac{n}{8} = 17$ to	rue?	
A	nswer	136			

What value of n makes the equation $\frac{n}{8} = 17$ true?

8 × 17 = 136

Answer

Score Credit 1 (out of 1 credit)

A correct answer is provided.

What value of n makes the equation $\frac{n}{8} = 17$ true?


$$n = 136$$
 $17x 6 = n$


Answer 136

Score Credit 1 (out of 1 credit)

A correct answer is provided.

What value of n makes the equation $\frac{n}{8} = 17$ true?





Answer h= 2/25

Score Credit 0 (out of 1 credit)

An incorrect answer is provided.

39	An artist uses a ratio of 6 gallons of orange paint to 8 gallons of blue paint. If the artist uses 1 gallon of blue paint, how many gallons of orange paint will they use?						
	Answer gallon(s)						

EXEMPLARY RESPONSE

uses a ratio of 6 gallons of orange paint to 8 gallons of blue paint. If the artist on of blue paint, how many gallons of orange paint will they use?
6/8 or 0.75
OR equivalent gallon(s)

GOIDE I AI EK I						
An uses	An artist uses a ratio of 6 gallons of orange paint to 8 gallons of blue paint. If the artist uses 1 gallon of blue paint, how many gallons of orange paint will they use?					
	He will use .75 gallons of orange					
An	paint.	gallon(s)				

Score Credit 1 (out of 1 credit)

A correct answer is provided.

-	^
-<	ч

An artist uses a ratio of 6 gallons of orange paint to 8 gallons of blue paint. If the artist uses 1 gallon of blue paint, how many gallons of orange paint will they use? [1]

6.8

3,4

0761

Answer 0.75 gallon(s

Score Credit 1 (out of 1 credit)

A correct answer is provided.

39

An artist uses a ratio of 6 gallons of orange paint to 8 gallons of blue paint. If the artist uses 1 gallon of blue paint, how many gallons of orange paint will they use?

$$6 \div 8 = 0.75 \text{ or } 8 \times 6 = 48$$


Answer

Score Credit 0 (out of 1 credit)

gallon(s)

An incorrect answer is provided.

A diagram of a rectangular flag, with a shaded section, is shown below.




What is the area, in square centimeters, of the shaded section of the flag? Show your work.

Answer _____ square centimeters

EXEMPLARY RESPONSE

40

A diagram of a rectangular flag, with a shaded section, is shown below.



What is the area, in square centimeters, of the shaded section of the flag? Show your work.

$$(9 \times 5) - (5 \times 4.5 \div 2) = 45 - 11.25 = 33.75$$

OR

$$(4.5 \times 2.5 \div 2) \times 2 = 11.25$$


$$4.5 \times 5 = 22.5$$

$$11.25 + 22.5 = 33.75$$

OR other valid process


Answer 33.75 square centimeters

A diagram of a rectangular flag, with a shaded section, is shown below.



What is the area, in square centimeters, of the shaded section of the flag? [2]

Show your work.




Answer 33.75 square centimeters

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The area of the unshaded section is correctly calculated and correctly subtracted from the total area of the rectangular flag to determine the area of the shaded section. This response is complete and correct.

40

A diagram of a rectangular flag, with a shaded section, is shown below.



What is the area, in square centimeters, of the shaded section of the flag? Show your work.




Answer

33.75

square centimeters


Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The shaded section is split in parts, and the areas of the shaded rectangular and triangular parts are correctly calculated and added to determine the total shaded area. This response is complete and correct.



Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The area of the unshaded section is correctly calculated and correctly subtracted from the total area of the rectangular flag to determine the area of the shaded section. This response is complete and correct.



Score Credit 1 (out of 2 credits)

square centimeters


33.75

Answer

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The shaded section is split in parts, and the areas of the shaded rectangular and triangular parts are correctly identified and added to determine the total shaded area; however, it is not clear from the work how the areas are calculated. This response contains the correct solution, but the required work is incomplete.



A diagram of a rectangular flag, with a shaded section, is shown below.



What is the area, in square centimeters, of the shaded section of the flag? Show your work.

```
5 x 9 = 45
4.5 x 5 = 22.5 / 2 = 11.25
45- 11.25 = 32.75 cm
```


Answer

32.75 cm

square centimeters


Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The area of the unshaded section is correctly calculated; however, a calculation error occurs when subtracting this area from the total area of the rectangular flag. Although incorrect units are referenced in the work, it does not detract from the demonstration of an understanding of the task. This response contains an incorrect solution but applies a mathematically appropriate process.



Score Credit 1 (out of 2 credits)


This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The area of the unshaded section is correctly calculated; however, the shaded area is not addressed, and the unshaded area is inappropriately provided as a solution. This response correctly addresses only some elements of the task.



Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. The lengths are inappropriately added to determine a solution. This response is incorrect and is insufficient to show any understanding.

A diagram of a rectangular flag, with a shaded section, is shown below.



What is the area, in square centimeters, of the shaded section of the flag? Show your work.

it looks like the flag of napal

Answer

33.75

square centimeters

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. The correct solution is provided with no work. Per Scoring Policy #3 for 2- and 3-credit responses, this response receives no credit.

41		
	A student claims that the expression $6 + 8x$ is equivalent to the expression $3(3 + 5x)$.	
	What is incorrect about the student's claim? Be sure to include an equivalent expression to	
	3(3+5x) in your response.	
	Explain your answer.	
	2 	

EXEMPLARY RESPONSE

41


A student claims that the expression 6+8x is equivalent to the expression 3(3+5x). What is incorrect about the student's claim? Be sure to include an equivalent expression to 3(3+5x) in your response.

Explain your answer.

The expressions are not equivalent. If you distribute the multiplication of the 3 over 3 + 5x you will get 9 + 15x, which is not the same as 6 + 8x.

OR

The expression 3(3+5x) means 3 times the quantity (3+5x).



So the equivalent expression would be 9 + 15x, not 6 + 8x.

OR other valid explanation

A student claims that the expression 6+8x is equivalent to the expression 3(3+5x). What is incorrect about the student's claim? Be sure to include an equivalent expression to 3(3+5x) in your response.

Explain your answer.

The student's claim is wrong because instead of multiplying the 3 by the numbers inside of the parenthesis, the student added them and got 6 and 8. The correct way to do it is to multiply the numbers. This would give you a correct answer of 9 + 15x.

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The error is correctly explained, and a correct equivalent expression is provided. The explanation is complete and correct.

A student claims that the expression 6+8x is equivalent to the expression 3(3+5x). What is incorrect about the student's claim? Be sure to include an equivalent expression to 3(3+5x) in your response. [2]

Explain your answer.

The student added instead of multiplying. He did 3+3, 3+5x when its was 3×3, 3×5× so the real awaser should be 9+15x.

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The error is correctly explained, and a correct equivalent expression is provided. The explanation is complete and correct.

41

A student claims that the expression 6+8x is equivalent to the expression 3(3+5x). What is incorrect about the student's claim? Be sure to include an equivalent expression to 3(3+5x) in your response.

Explain your answer.

The student is incorrect because during the Distributive Property you have to multiply but this person added. An equivalent to 3(3 + 5x) is 9 + 15x.

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The error is correctly explained, and a correct equivalent expression is provided. The explanation is sufficient to show a thorough understanding.

41

A student claims that the expression 6+8x is equivalent to the expression 3(3+5x). What is incorrect about the student's claim? Be sure to include an equivalent expression to 3(3+5x) in your response.

Explain your answer.

What is incorrect about thne sudent claim is that he thinks 3 (3+5x) means that you have to use addition 3 to both 3 and 5 but it really means that you have to use multiplication to 3 and 5.

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The error is correctly explained; however, a correct equivalent expression is not provided. This response correctly addresses only some elements of the task.

41

A student claims that the expression 6+8x is equivalent to the expression 3(3+5x). What is incorrect about the student's claim? Be sure to include an equivalent expression to 3(3+5x) in your response.

Explain your answer.

The expression is incorrect because 3 times 3 = 9 and 3 times 5 = 15. Therefore an equilvilent expression would be 2(3 + 4x)

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The error is explained; however, an expression equivalent to 6 + 8x instead of 3(3 + 5x) is provided with no further explanation. This response correctly addresses only some elements of the task.

41	
	A student claims that the expression $6+8x$ is equivalent to the expression $3(3+5x)$. What is incorrect about the student's claim? Be sure to include an equivalent expression to $3(3+5x)$ in your response. [2]
	The student's dain because of the Distribution Property. 3(3+5x) is really equivalent to
	Property. 3(3+5x) is really equivalent to
	9+15x, not 6+8x.
	DO NOT WRITE BEYOND THIS AREA

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. A correct equivalent expression is provided. Although the distributive property is referenced, the explanation is unclear. This response correctly addresses only some elements of the task.

41

A student claims that the expression 6+8x is equivalent to the expression 3(3+5x). What is incorrect about the student's claim? Be sure to include an equivalent expression to 3(3+5x) in your response.

Explain your answer.

The claim of the student, 3(3+5x) is wrong because it is not equivalent to the expression, 6+8x.

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. Although a correct statement is made, no explanation is provided, and an equivalent expression is not written. Per Scoring Policy #3 for 2- and 3-credit responses, this response receives no credit.

A student claims that the expression 6 + 8x is equivalent to the expression 3(3 + 5x). What is incorrect about the student's claim? Be sure to include an equivalent expression to 3(3 + 5x) in your response. [2]

Explain your answer.

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. An incorrect equivalent expression to 3(3 + 5x) is provided, and the explanation is incorrect. The explanation is insufficient to show any understanding.

42		
42	Mike needs a ticket every time he rides the bus. Given the equation $c=2.75t$, what is the relationship between t , the number of tickets that Mike buys, and c , the total cost? Be sure to identify which variable is independent and which variable is dependent in your answer.	
	Explain your answer.	

EXEMPLARY RESPONSE

42

Mike needs a ticket every time he rides the bus. Given the equation c=2.75t, what is the relationship between t, the number of tickets that Mike buys, and c, the total cost? Be sure to identify which variable is independent and which variable is dependent in your answer.

Explain your answer.

The total cost is dependent upon the number of tickets bought. That makes c the dependent variable and t the independent variable.

The cost of each ticket is 2.75, so the total cost will increase by 2.75 times the increase of the number of tickets bought.

OR other valid explanation

Mike needs a ticket every time he rides the bus. Given the equation c=2.75t, what is the relationship between t, the number of tickets that Mike buys, and c, the total cost? Be sure to identify which variable is independent and which variable is dependent in your answer.

Explain your answer.

c = 2.75t

c = dependent

t = independent

C depends on T to know how many bus tickets Mike bought.

If we don't know T, we don't know C.

\$2.75 per ticket

Let's say that he rides the bus 2 times a day. Well, the equation will look like this. c = 2.75(2)

Then the cost will be, \$5.50

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The relationship between the number of tickets sold and the total cost is correctly explained by identifying the cost per ticket and explaining the equation in the context. The dependent and independent variables are correctly identified. The explanation is complete and correct.

42

Mike needs a ticket every time he rides the bus. Given the equation c=2.75t, what is the relationship between t, the number of tickets that Mike buys, and c, the total cost? Be sure to identify which variable is independent and which variable is dependent in your answer.

Explain your answer.

The relationship between C the total cost, and T the number of tickets is they affect each other. They affect each other because if you add one more T than you would have to add 2.75 (the cost of one ticket) to what C equals. The variable that is dependent is C because it only changes if T changes and T is independent because Mike is gonna keep on buying more train tickets so what T equals will keep on chnaging.

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The relationship between the number of tickets sold and the total cost is correctly explained by identifying the cost per ticket and explaining the equation in the context. The dependent and independent variables are correctly identified. The explanation is complete and correct.

42

Mike needs a ticket every time he rides the bus. Given the equation c=2.75t, what is the relationship between t, the number of tickets that Mike buys, and c, the total cost? Be sure to identify which variable is independent and which variable is dependent in your answer.

Explain your answer.

The relationship between the c, total cost and t, the number of tickets is that for every ticket he buys, the total cost will increase. The independent variable is the tickets that Mike buys and the dependent variable is the total cost because the total cost depends on how many tickets Mike will buy.

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The relationship between the number of tickets sold and the total cost is sufficiently explained. The dependent and independent variables are correctly identified. The explanation is sufficient to show a thorough understanding.

42

Mike needs a ticket every time he rides the bus. Given the equation c = 2.75t, what is the relationship between t, the number of tickets that Mike buys, and c, the total cost? Be sure to identify which variable is independent and which variable is dependent in your answer.

Explain your answer.

The relationship between T & C is that when t increases c also increases due to t meaning how mnay tickets he bought, So if the amount if tickets he buys increases c (the cost of the tickets) will also increase. The cost of each ticket is the dependent variable and the amount of tickets he buys is the independent variable.

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The relationship between the number of tickets sold and the total cost is correctly explained. The independent variable is correctly identified; however, the dependent variable is incorrectly identified as the cost of each ticket instead of the total cost. This response correctly addresses only some elements of the task.

42

Mike needs a ticket every time he rides the bus. Given the equation c=2.75t, what is the relationship between t, the number of tickets that Mike buys, and c, the total cost? Be sure to identify which variable is independent and which variable is dependent in your answer. [2]

Explain your answer.

topposents the amount of tickets Mike buys meaning 2.75 x + = c, He total cost. Tis inelependent and Ciadepund

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The dependent and independent variables are correctly identified; however, the equation is rewritten and the relationship between the two variables is not clearly explained. This response correctly addresses only some elements of the task.

Mike needs a ticket every time he rides the bus. Given the equation c=2.75t, what is the relationship between t, the number of tickets that Mike buys, and c, the total cost? Be sure to identify which variable is independent and which variable is dependent in your answer. [2]

Explain your answer.

the e is the dependent and the t is the independent because the the total cost depends on how many tickets he buys.

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The dependent and independent variables are correctly identified; however, the explanation only addresses the dependency between the two variables, and the relationship between the two variables is not clearly explained. This response correctly addresses only some elements of the task.

42

Mike needs a ticket every time he rides the bus. Given the equation c=2.75t, what is the relationship between t, the number of tickets that Mike buys, and c, the total cost? Be sure to identify which variable is independent and which variable is dependent in your answer. [2]

Explain your answer.

They have a relationship with t and the ticketets that mike buts is because t stands for tickets as c is the total cost is the independent varible and t is the dependent varible.

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. The relationship between the two variables is not explained, and the independent and dependent variables are incorrectly identified. Holistically, the explanation is insufficient to show any understanding.

Mike needs a ticket every time he rides the bus. Given the equation c = 2.75t, what is the relationship between t, the number of tickets that Mike buys, and c, the total cost? Be sure to identify which variable is independent and which variable is dependent in your answer.

Explain your answer.

The amount of tickets Mike needs to buy tells us how much all the tickets will cost.

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. Although a correct statement relating cost to the amount of tickets is provided, the relationship of how the increase in the number of tickets purchased affects the total cost is not explained, and the independent and dependent variables are not identified. Holistically, the explanation is insufficient to show any understanding.

A student claims that 4 is the greatest common factor of 24 and 40, because the	
two numbers are both multiples of 4. Is the student's claim correct?	
Explain how you determined your answer.	
· · · · · · · · · · · · · · · · · · ·	
-	

EXEMPLARY RESPONSE

43

A student claims that 4 is the greatest common factor of 24 and 40, because the two numbers are both multiples of 4. Is the student's claim correct?

Explain how you determined your answer.

No, the student's claim is not correct. Although 4 is a factor of both 24 and 40, it is not the greatest common factor.

Both 24 and 40 are also multiples of 8, which means that 8 is a greater factor of both numbers than 4. Multiples of 8: 8, 16, 24, 32, 40

OR other valid explanation

A student claims that 4 is the greatest common factor of 24 and 40, because the two numbers are both multiples of 4. Is the student's claim correct?

Explain how you determined your answer.

No, the students claim is wrong. The answer is 8.

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. A correct negative claim is made, and a correct explanation listing factors of 24 and 40 is provided to show that 4 is not the greatest common factor. The explanation is complete and correct.

43

A student claims that 4 is the greatest common factor of 24 and 40, because the two numbers are both multiples of 4. Is the student's claim correct? [2]

Explain how you determined your answer.

00	because	the_	Leo/	<u> Greates</u>	4	commen	Rictoris
	becouse			The state of the s		1000 m	an extra section and an extra section of the sectio

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. A correct negative claim is made, and a correct explanation using two math facts with 8 as a factor of both 24 and 40 is provided to show that 4 is not the greatest common factor. The explanation is complete and correct.

43

A student claims that 4 is the greatest common factor of 24 and 40, because the two numbers are both multiples of 4. Is the student's claim correct?

Explain how you determined your answer.

No actually he is wrong the greatest common factor is actually 8 as it goes

8,16,24,32,40 8,16,24

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. A correct negative claim is made, and a correct explanation listing multiples of 8 is provided to show that 4 is not the greatest common factor. The explanation is complete and correct.

43

A student claims that 4 is the greatest common factor of 24 and 40, because the two numbers are both multiples of 4. Is the student's claim correct? [2]

Explain how you determined your answer.

No the greatest common factor is 8 because it is the highest number it can go into.

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. A correct negative claim is made, and 8 is correctly identified as the greatest common factor; however, the explanation is incomplete. It is not clear from the explanation why 24 and 40 are multiples of 8. This response correctly addresses only some elements of the task.

43

A student claims that 4 is the greatest common factor of 24 and 40, because the two numbers are both multiples of 4. Is the student's claim correct?

Explain how you determined your answer.

No, the student's claim is not correct, because 4 is not the greatest common factor of 24 and 40. The two numbers also aren't multiples of 4. The correct greatest common factor of 24 and 40 is 8. I found this by doing what is shown below.

24: 1,2,3,4,6,8,12,24 40: 1,2,4,5,8,10,20,40

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. A correct negative claim is made, and factors of 24 and 40 are correctly listed to show that 4 is not the greatest common factor. However, the explanation contains an incorrect statement about multiples of 4. This response correctly addresses only some elements of the task.

43

A student claims that 4 is the greatest common factor of 24 and 40, because the two numbers are both multiples of 4, is the student's claim correct? [2]

Explain how you determined your answer.

the students rigin is not correct. The correct answer is 8.

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. A correct negative claim is made, and 8 is correctly identified as the greatest common factor; however, it is not clear from the explanation why 8 is a factor of 24 and 40. This response correctly addresses only some elements of the task.

43

A student claims that 4 is the greatest common factor of 24 and 40, because the two numbers are both multiples of 4. Is the student's claim correct?

Explain how you determined your answer.

4,8,12,16,24,28,32,36,40

yes the studenets clam is true 4 goes into both.

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. An incorrect claim is made, based on listing only the multiples of 4. Holistically, the explanation is insufficient to show any understanding.

e cause the vage looking for 9CE not mulily		ow you determin			-00-	**************************************
	N Q	of cause	the lage	100K109 +	OF ACEV	of valled
	***************************************		The control of the same of the control of the contr	and a special second control of the second c		and the second s
	osessendes ym 2,		Nonhousengen in menuncular and tomas Modify corrien	were the second of the second	terning-security metabolish residence and the security se	natus elimpiyya inga alama mushik maataa isaa rarris

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. Although a correct negative claim is made, the explanation is irrelevant and does not explain why 4 is not the greatest common factor. The explanation is insufficient to show any understanding.

44	A prism made of unit cubes is shown below.
	What perfect cube is represented by the volume of the prism? Be sure to include what you know about volume and exponents in your answer. Explain your answer.

EXEMPLARY RESPONSE

44

A prism made of unit cubes is shown below.



What perfect cube is represented by the volume of the prism? Be sure to include what you know about volume and exponents in your answer.

Explain your answer.

The volume of the prism is $l \times w \times h$, which is $4 \times 4 \times 4 = 64$.

Since 64 results from multiplying 4 by itself 3 times, which is 4^3 , then 64 is a perfect cube.

OR other valid explanation

A prism made of unit cubes is shown below.



What perfect cube is represented by the volume of the prism? Be sure to include what you know about volume and exponents in your answer.


Explain your answer.

The volume of this perfect cube is 64 unit cubes. I got this by multiplying 4x4x4 which is our length, width, and height. I know that a cube has the same length on each side, so this can also be written as 4^3 which again equals 64.

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The volume is correctly determined, and the process of cubing is correctly explained using the exponent of 3. The explanation is complete and correct.


A prism made of unit cubes is shown below.



What perfect cube is represented by the volume of the prism? Be sure to include what you know about volume and exponents in your answer.

Explain your answer.

I know that the volume of the prism is Gyunite's because I know that volume equals LANDXH. Which means I did 4 to the power of 3.



Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The volume is correctly determined, and the process of cubing is correctly explained using the power of 3. The explanation is complete and correct.

44

A prism made of unit cubes is shown below.



What perfect cube is represented by the volume of the prism? Be sure to include what you know about volume and exponents in your answer.

Explain your answer.


$$L \times W \times H \rightarrow 4 \times 4 \times 4 = 4^3 = 64$$
 volume

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The volume is correctly determined, and the process of cubing is correctly explained using the exponent of 3. The explanation is sufficient to show a thorough understanding.

44

A prism made of unit cubes is shown below.



What perfect cube is represented by the volume of the prism? Be sure to include what you know about volume and exponents in your answer.

Explain your answer.

The formula for volume

15 July which for the prism

16 July which for the prism

17 July which for the prism

18 July which for the prism

28 July which for the prism

29 July which for the prism

20 July which for the prism

21 July which for the prism

21 July which for the prism

22 July which for the prism

23 July which for the prism

24 July which for the prism

25 July which for the prism

26 July which for the prism


27 July which for the prism

28 July which for the

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The process of cubing is correctly explained using the exponent of 3; however, the perfect cube is not calculated. This response correctly addresses only some elements of the task.

A prism made of unit cubes is shown below.



What perfect cube is represented by the volume of the prism? Be sure to include what you know about volume and exponents in your answer.

Expiain your answer.

The cube in the imaje obove is a square all the sides are the same tength. The volume would be V= I whi rolume = by unit cubes squared.

4x4x4 18x4=64

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The volume is correctly determined; however, the explanation is incomplete. The process of cubing using the exponent of 3 is not addressed. Although an incorrect unit is referenced in the work, it does not detract from the demonstration of an understanding. This response correctly addresses only some elements of the task.

A prism made of unit cubes is shown below.



What perfect cube is represented by the volume of the prism? Be sure to include what you know about volume and exponents in your answer.

Explain your answer.


A percfect cube would be 3 by 3 by 3 the volume of a perfect cube is 27 and the exponents is 3^3

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. A correct explanation is provided to show how the perfect cube value is determined using the exponent; however, the volume of a different prism is calculated. This response correctly addresses only some elements of the task.

44

A prism made of unit cubes is shown below-



What perfect cube is represented by the volume of the prism? Be sure to include what you know about volume and exponents in your answer.

Explain your answer.

to and mult

16 x 16 × 16 = 4096

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. An incorrect process is used to determine the volume of the prism. The explanation is incorrect and is insufficient to show any understanding.

A prism made of unit cubes is shown below.



What perfect cube is represented by the volume of the prism? Be sure to include what you know about volume and exponents in your answer.


Explain your answer.

The prism is a 4x4 prism. This is because the amount of unit cubes for the volume is 4. Also, since the prism has 4 cubes going each way the amont of cubes is 4^4 .

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. An incorrect exponent is used to determine the volume, and an incorrect explanation of the process is provided. The explanation is insufficient to show any understanding.

The location of Jake's school and house are represented on the coordinate plane shown below.




What is the distance, in units, from Jake's school to his house? Be sure to include the coordinates for both locations and how those coordinates can be used to determine your answer.

Explain how you determined your answer.

EXEMPLARY RESPONSE

45

The location of Jake's school and house are represented on the coordinate plane shown below.



What is the distance, in units, from Jake's school to his house? Be sure to include the coordinates for both locations and how those coordinates can be used to determine your answer.


Explain how you determined your answer.

The school is located at (3, 2) and the house is located at (3, 6).

The distance from Jake's house to the school is 4 units, because 6 - 2 = 4.

OR other valid explanation

The location of Jake's school and house are represented on the coordinate plane shown below.



What is the distance, in units, from Jake's school to his house? Be sure to include the coordinates for both locations and how those coordinates can be used to determine your answer.


Explain how you determined your answer.

House= (3,6) School= (3,2) The answer is 4 units because 6-4=2 and if you count it on the coordinate plane you will end up with 4.

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The coordinates for both locations are correctly stated, and the distance between the two locations is correctly calculated and explained using subtraction and counting. The explanation is complete and correct.

The location of Jake's school and house are represented on the coordinate plane shown below.



What is the distance, in units, from Jake's school to his house? Be sure to include the coordinates for both locations and how those coordinates can be used to determine your answer. [2]


Explain how you determined your answer.

There are 4 units between Jake's school and house. His school is at (3,2) and his house is at (3,6). The x-axis is the same, and 6-2=4.

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The coordinates for both locations are correctly stated, and the distance between the two locations is correctly calculated and explained by subtracting *y*-coordinates. The reference to *x*-coordinate as "*x*-axis" is considered inconsequential. The explanation is sufficient to show a thorough understanding.

The location of Jake's school and house are represented on the coordinate plane shown below.



What is the distance, in units, from Jake's school to his house? Be sure to include the coordinates for both locations and how those coordinates can be used to determine your answer.


Explain how you determined your answer.

4 units. I know this because if you go south 4 units from (3,6), you would get to the school at (3,2).

Score Credit 2 (out of 2 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The coordinates for both locations are correctly stated, and the distance between the two locations is correctly calculated and explained by counting units on the graph. The explanation is sufficient to show a thorough understanding.

The location of Jake's school and house are represented on the coordinate plane shown below.



What is the distance, in units, from Jake's school to his house? Be sure to include the coordinates for both locations and how those coordinates can be used to determine your answer.


Explain how you determined your answer.

Jake's house is only 4 units away because they both have the same x axis so he goes straight up and the distance between 2 and 6 is 4 so his house is 4 units

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The distance between the two locations is correctly calculated and explained by subtracting *y*-coordinates; however, the coordinates for both locations are not stated. The reference to *x*-coordinate as "*x axis*" is considered inconsequential. This response correctly addresses only some elements of the task.

The location of Jake's school and house are represented on the coordinate plane shown below.



What is the distance, in units, from Jake's school to his house? Be sure to include the coordinates for both locations and how those coordinates can be used to determine your answer.

Explain how you determined your answer.

H=(3,6)


S=(3,2)

You could minus 6 from 2 and get 4 units which would be your answer

Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The coordinates for both locations and the distance between the two locations are correctly stated; however, the subtraction is explained in an incorrect order. This response correctly addresses only some elements of the task.

The location of Jake's school and house are represented on the coordinate plane shown below.



What is the distance, in units, from Jake's school to his house? Be sure to include the coordinates for both locations and how those coordinates can be used to determine your answer. [2]

Explain how you determined your answer.

the distance between (3,6) and (3,2) is 4.


Score Credit 1 (out of 2 credits)

This response demonstrates only a partial understanding of the mathematical concepts and procedures in the task. The coordinates for both locations and the distance between the two locations are correctly stated; however, it is not clear from the explanation how the distance is calculated. This response correctly addresses only some elements of the task.

GUIDE PAPER 7

45

The location of Jake's school and house are represented on the coordinate plane shown below.



What is the distance, in units, from Jake's school to his house? Be sure to include the coordinates for both locations and how those coordinates can be used to determine your answer.


Explain how you determined your answer.

4 units

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. Although a correct distance is stated, no explanation is provided. Per Scoring Policy #3 for 2- and 3-credit responses, this response receives no credit.

The location of Jake's school and house are represented on the coordinate plane shown below.



What is the distance, in units, from Jake's school to his house? Be sure to include the coordinates for both locations and how those coordinates can be used to determine your answer. [2]

Explain how you determined your answer.

Jake's house coordinates are 3,6 and the schools is 3,2.

The distance is 3 units. I counted the dots I made indetween

Jake's house and the school, that how look my answer.

Score Credit 0 (out of 2 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts in the task. The coordinates for both locations are stated without parentheses, and an incorrect process is used to determine the distance between the two locations. Holistically, the explanation is insufficient to show any understanding.

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of different numbers of months.

REX'S SAVINGS

NERO'S SAVINGS

Number of Months	2	4	6	8
Savings (dollars)	18	36	54	72

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.

EXEMPLARY RESPONSE

46

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of different numbers of months.

REX'S SAVINGS

18

36

6 8 54 72

NERO'S SAVINGS

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.

Number of Months

Savings (dollars)

Rex:

72 ÷ 8 = \$9 per month 16 × 9 = \$144 after 16 months

OR $18 \div 2 = \$9$ $36 \div 3 = \$12$

Nero:

144 ÷ 12 = \$12 per month 16 × 12 = \$192 after 16 months 12 - 9 = 3 $3 \times 16 = 48

192 - 144 = \$48

OR other valid process

Answer \$ 48

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of the month for different numbers of months.

REX'S SAVINGS


Number of Months 2 4 6 8 Savings (dollars) 18 36 54 72

NERO'S SAVINGS

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.



Answer \$ 48

Score Credit 3 (out of 3 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The unit rates and Rex's and Nero's total savings at the end of 16 months are correctly calculated, and the difference in total savings is correctly determined. This response is complete and correct.

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of different numbers of months.

REX'S SAVINGS


Number of Months	2	4	6	8
Savings (dollars)	18	36	54	72

NERO'S SAVINGS

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.



Answer \$ 48

Score Credit 3 (out of 3 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. Nero's savings rate and Rex's and Nero's total savings at the end of 16 months are correctly calculated, and the difference in total savings is correctly determined. The reference to 8 months in the chart does not detract from the correct solution. This response contains sufficient work to demonstrate a thorough understanding.

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of different numbers of months.

REX'S SAVINGS

Number of Months	2	4	6	8
Savings (dollars)	18	36	54	72

NERO'S SAVINGS

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.

Answer !

48

Score Credit 3 (out of 3 credits)

This response demonstrates a thorough understanding of the mathematical concepts and procedures in the task. The unit rates are correctly identified, and Rex's and Nero's total savings at the end of 16 months are correctly determined. Although the work for calculating the unit rates is not shown, this response contains sufficient work to demonstrate a thorough understanding.

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of different numbers of months.

REX'S SAVINGS

Number of Months	2	4	6	8
Savings (dollars)	18	36	54	72

NERO'S SAVINGS

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.

Rex gets 9 dollars every month, and Nero gets 12 dollars every month.

$$9 \times 16 = 144$$

$$12 \times 16 = 192$$

$$192 - 144 = 28$$

Answer \$

0

Score Credit 2 (out of 3 credits)

This response demonstrates a partial understanding of the mathematical concepts and procedures in the task. The unit rates are correctly identified, and Rex's and Nero's total savings at the end of 16 months are correctly determined; however, a calculation error occurs when determining the difference in total savings. This response contains an incorrect solution but provides sound procedures.

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of different numbers of months.

REX'S SAVINGS

Number of Months	2	4	6	8
Savings (dollars)	18	36	54	72

NERO'S SAVINGS

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.

rex
$$18 \div 2=9$$
 $9 \times 16=144$
nero $36 \div 2=18$ $18 \times 16=288$ $288-144=144$


Answer \$

144

Score Credit 2 (out of 3 credits)

This response demonstrates a partial understanding of the mathematical concepts and procedures in the task. An incorrect number of months is used when calculating Nero's savings rate per month. The rest of the work calculating Rex's savings rate, Rex's and Nero's total savings at the end of 16 months and the difference in total savings is carried out correctly. This response appropriately addresses most, but not all, aspects of the task.

GUIDE PAPER 6



Score Credit 2 (out of 3 credits)

This response demonstrates a partial understanding of the mathematical concepts and procedures in the task. Rex's total savings are correctly calculated by completing the table to include 16 months of savings. A calculation error occurs when determining Nero's total savings at the end of 15 months. The rest of the work calculating Nero's total savings at the end of 16 months and the difference in total savings is carried out correctly. This response reflects some minor misunderstanding of the underlying mathematical concepts and procedures.

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of different numbers of months.

REX'S SAVINGS


Number of Months 2 4 6 8 Savings (dollars) 18 36 54 72

NERO'S SAVINGS

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.



Answer \$

72

Score Credit 1 (out of 3 credits)

This response demonstrates only a limited understanding of the mathematical concepts and procedures in the task. The unit rates are correctly determined; however, Rex's and Nero's total savings at the end of 16 months are not clearly addressed, and the difference in total savings at the end of 12 and 8 months is inappropriately provided as the solution. This response reflects a lack of essential understanding of the underlying mathematical concepts.

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of different numbers of months.

REX'S SAVINGS

Number of Months	2	4	6	8
Savings (dollars)	18	36	54	72

NERO'S SAVINGS

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.

$$192 - 144 = 48$$

Nero saved 48 more dollars than rex

Answer \$

48

Score Credit 1 (out of 3 credits)

This response demonstrates only a limited understanding of the mathematical concepts and procedures in the task. Although the difference in total savings is correctly calculated, the unit rates are not identified, and it is not clear from the work how the total savings at the end of 16 months are calculated. This response contains the correct solution, but the required work is limited.

GUIDE PAPER 9

46


Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of the month for different numbers of months.

REX	('S SA	VINGS	+ 12	3
Number of Months	2	4	6	8
Savings (dollars)	18	36	54	72

NERO'S SAVINGS + 3						
Number of Months	3	6	9	12		
Savings (dollars)	36	72	108	144		

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.



216 - 144 72

Answer \$ H

Score Credit 1 (out of 3 credits)

This response demonstrates only a limited understanding of the mathematical concepts and procedures in the task. Rex's total savings are correctly calculated by completing the table to include 16 months of savings. Nero's total savings at the end of 15 months is incorrectly labeled as savings at the end of 14 months, and an incorrect savings rate per month is used to calculate Nero's total savings at the end of 16 months. This response addresses some elements of the task correctly but exhibits multiple flaws related to misunderstanding of important aspects of the task.

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of different numbers of months.

REX'S SAVINGS

Number of Months 2 4 6 8 Savings (dollars) 18 36 54 72

NERO'S SAVINGS

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.

		3
9+12=21		
7 12-21		

Answer \$

21

Score Credit 0 (out of 3 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts and procedures in the task. Although 9 and 12 are used in the work, it is not clear from the work that these values represent unit rates. Rex's and Nero's total savings after 16 months are not calculated, and the values are inappropriately added. Holistically, this response is insufficient to show any understanding.

Rex and Nero are saving money for new bikes. They both start with \$0.00 and save at a constant rate for 16 months. The tables below show Rex's and Nero's total savings, in dollars, at the end of the month for different numbers of months.

REX'S SAVINGS


Number of Months	2	4	6	8
Savings (dollars)	18	36	54	72

NERO'S SAVINGS

Number of Months	3	6	9	12
Savings (dollars)	36	72	108	144

At the end of 16 months, what is the difference between the amount of money Rex saved and the amount of money Nero saved?

Show your work.



Answer \$ 72

Score Credit 0 (out of 3 credits)

This response is not sufficient to demonstrate even a limited understanding of the mathematical concepts and procedures in the task. Rex's and Nero's total savings at the end of 16 months are not addressed, and the difference in total savings at the end of 12 and 8 months is inappropriately provided as the solution. This response is incorrect and is insufficient to show any understanding.



Grade 6 Mathematics

Scoring Leader Materials 2024 Training Set